



Performance



Accessibility



Best Practices



SEO



PWA

There were issues affecting this run of Lighthouse:

- There may be stored data affecting loading performance in this location: IndexedDB. Audit this page in an incognito window to prevent those resources from affecting your scores.




Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)

▲ 0–49

50–89

90–100



METRICS

Expand view

First Contentful Paint

0.9 s

Time to Interactive

1.8 s

Speed Index

0.9 s

Total Blocking Time

110 ms

Largest Contentful Paint


1.8 s

Cumulative Layout Shift

0.003

[View Original Trace](#)

[View Treemap](#)



Show audits relevant to: All [FCP](#) [TBT](#) [LCP](#) [CLS](#)

OPPORTUNITIES

Opportunity

Estimated Savings

Reduce unused JavaScript

0.71 s ^

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn more.](#) LCP

☒ Show 3rd-party resources (4)

URL	Transfer Size	Potential Savings
/main-es2015.da07da4....js (eat24deliveriespwa.myteamconnector.com)	744.0 KiB	546.8 KiB
...6.2.3/firebase.js (www.gstatic.com)	222.1 KiB	181.6 KiB
../firebase/src/api/database.ts	9.3 KiB	8.2 KiB
../firebase/src/remote/serializer.ts	5.4 KiB	4.7 KiB
../firebase/src/core/sync_engine.ts	4.4 KiB	4.1 KiB
../firebase/src/local/indexeddb_persistence.ts	4.2 KiB	3.6 KiB
../database/src/core/PersistentConnection.ts	3.1 KiB	2.8 KiB
/scripts.ff44f85....js (eat24deliveriespwa.myteamconnector.com)	94.8 KiB	74.5 KiB
...api/js?key=... (maps.googleapis.com)	55.0 KiB	32.5 KiB
...js/swiper.js (cdnjs.cloudflare.com)	24.8 KiB	24.0 KiB
...3.6.0/jquery.min.js (ajax.googleapis.com)	30.4 KiB	22.8 KiB

Eliminate render-blocking resources

0.66 s ^

Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. [Learn more.](#) FCP LCP

☒ Show 3rd-party resources (6)

URL	Transfer Size	Potential Savings
/icon?family=Material+Icons (fonts.googleapis.com)	0.5 KiB	310 ms
...css/swiper.min.css (cdnjs.cloudflare.com)	2.6 KiB	280 ms
/styles.4056d91....css (eat24deliveriespwa.myteamconnector.com)	65.4 KiB	360 ms

URL	Transfer Size	Potential Savings
...3.6.0/jquery.min.js (ajax.googleapis.com)	30.4 KiB	370 ms
...api/js?key=... (maps.googleapis.com)	55.0 KiB	460 ms
...js/swiper.js (cdnjs.cloudflare.com)	24.8 KiB	120 ms
...6.2.3/firebase.js (www.gstatic.com)	222.1 KiB	620 ms

These suggestions can help your page load faster. They don't [directly affect](#) the Performance score.

DIAGNOSTICS


▲

Image elements do not have explicit [width](#) and [height](#)

^

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn more](#) CLS

URL



img

...images/logo.png (eat24deliveriespwa.myteamconnector.com)

▲

Serve static assets with an efficient cache policy — 9 resources found

^

A long cache lifetime can speed up repeat visits to your page. [Learn more](#).

☒ Show 3rd-party resources (1)

URL	Cache TTL	Transfer Size
/main-es2015.da07da4....js (eat24deliveriespwa.myteamconnector.com)	None	744 KiB
/scripts.ff44f85....js (eat24deliveriespwa.myteamconnector.com)	None	95 KiB
/styles.4056d91....css (eat24deliveriespwa.myteamconnector.com)	None	65 KiB
...images/logo.png (eat24deliveriespwa.myteamconnector.com)	None	43 KiB

URL	Cache TTL	Transfer Size
/polyfills-es2015.8a24605....js (eat24deliveriespwa.myteamconnector.com)	None	12 KiB
...images/loader.gif (eat24deliveriespwa.myteamconnector.com)	None	6 KiB
/runtime-es2015.1bb6583....js (eat24deliveriespwa.myteamconnector.com)	None	2 KiB
/app-bg.fdbde2d....svg (eat24deliveriespwa.myteamconnector.com)	None	2 KiB
...api/js?key=... (maps.googleapis.com)	30 m	55 KiB

○ Avoid chaining critical requests — 13 chains found



The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. [Learn more.](#) FCP LCP

Maximum critical path latency: **760 ms**

Initial Navigation

- /login (eat24deliveriespwa.myteamconnector.com)
 - /icon?family=Material+Icons (fonts.googleapis.com) - **120 ms, 0.46 KiB**
 - /css?family=Poppins:300,400,500,600,700,800,900&display=swap (fonts.googleapis.com) - **120 ms, 0.64 KiB**
 - /css?family=Roboto:300,400,500&display=swap (fonts.googleapis.com) - **120 ms, 0.73 KiB**
 - ...css/swiper.min.css (cdnjs.cloudflare.com) - **100 ms, 2.60 KiB**
 - /styles.4056d91....css (eat24deliveriespwa.myteamconnector.com)
 - /css2?family=... (fonts.googleapis.com)
 - ...v24/BngMUXYT....woff2 (fonts.gstatic.com) - **80 ms, 32.06 KiB**
 - /manifest.webmanifest (eat24deliveriespwa.myteamconnector.com) - **10 ms, 1.38 KiB**
 - ...3.6.0/jquery.min.js (ajax.googleapis.com) - **60 ms, 30.37 KiB**
 - ...api/js?key=... (maps.googleapis.com) - **90 ms, 54.95 KiB**
 - ...js/swiper.js (cdnjs.cloudflare.com) - **100 ms, 24.78 KiB**
 - ...6.2.3/firebase.js (www.gstatic.com) - **130 ms, 222.15 KiB**
 - /runtime-es2015.1bb6583....js (eat24deliveriespwa.myteamconnector.com) - **20 ms, 1.63 KiB**
 - /polyfills-es2015.8a24605....js (eat24deliveriespwa.myteamconnector.com) - **10 ms, 12.25 KiB**
 - /main-es2015.da07da4....js (eat24deliveriespwa.myteamconnector.com) - **200 ms, 744.01 KiB**

○ User Timing marks and measures — 28 user timings



Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more.](#)

Name	Type	Start Time	Duration
Zone	Measure	437.99 ms	0.81 ms
Zone:ZoneAwarePromise	Measure	438.86 ms	0.84 ms
Zone:toString	Measure	439.69 ms	0.31 ms
Zone:util	Measure	439.96 ms	0.24 ms
Zone:legacy	Measure	440.12 ms	0.18 ms
Zone:timers	Measure	440.19 ms	0.51 ms
Zone:requestAnimationFrame	Measure	440.55 ms	0.25 ms
Zone:blocking	Measure	440.66 ms	0.24 ms
Zone:EventTarget	Measure	440.82 ms	1.28 ms
Zone:on_property	Measure	442.08 ms	34.22 ms
Zone:customElements	Measure	476.2 ms	0.4 ms
Zone:XHR	Measure	476.47 ms	0.43 ms
Zone:geolocation	Measure	476.81 ms	0.29 ms
Zone:PromiseRejectionEvent	Measure	477 ms	0.2 ms
Zone	Mark	438.08 ms	
Zone:ZoneAwarePromise	Mark	438.87 ms	
Zone:toString	Mark	439.7 ms	
Zone:util	Mark	439.97 ms	
Zone:legacy	Mark	440.13 ms	
Zone:timers	Mark	440.19 ms	
Zone:requestAnimationFrame	Mark	440.56 ms	
Zone:blocking	Mark	440.68 ms	

Name	Type	Start Time	Duration
Zone:EventTarget	Mark	440.83 ms	
Zone:on_property	Mark	442.09 ms	
Zone:customElements	Mark	476.21 ms	
Zone:XHR	Mark	476.48 ms	
Zone:geolocation	Mark	476.81 ms	
Zone:PromiseRejectionEvent	Mark	477.01 ms	

Keep request counts low and transfer sizes small — 22 requests • 1,353 KiB

To set budgets for the quantity and size of page resources, add a budget.json file. [Learn more.](#)


Resource Type	Requests	Transfer Size
Total	22	1,352.5 KiB
Script	8	1,184.9 KiB
Stylesheet	6	70.7 KiB
Image	3	50.9 KiB
Font	1	32.1 KiB
Other	3	10.8 KiB
Document	1	3.2 KiB
Media	0	0.0 KiB
Third-party	11	369.6 KiB

Largest Contentful Paint element — 1 element found

This is the largest contentful element painted within the viewport. [Learn More](#) LCP

Element

Element



img


☐ Avoid large layout shifts — 5 elements found



These DOM elements contribute most to the CLS of the page. [CLS](#)

Element

CLS Contribution



div.front-logo

0.002

a.orange-btn

0

label.form-check-label

0

label.form-check-label

0

div.use-credit-check-box > div.form-group > label > ::before
<::before>

0

☐ Avoid long main-thread tasks — 3 long tasks found



Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. [Learn more](#) TBT

☒ Show 3rd-party resources (1)

URL

Start
Time

Duration

/main-es2015.da07da4....js (eat24deliveriespwa.myteamconnector.com)

1,611 ms

134 ms

/scripts.ff44f85....js (eat24deliveriespwa.myteamconnector.com)

1,811 ms

74 ms

...6.2.3/firebase.js (www.gstatic.com)

1,095 ms

68 ms

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.


PASSED AUDITS (30)

Hide

Properly size images — Potential savings of 37 KiB

^

Serve images that are appropriately-sized to save cellular data and improve load time. [Learn more.](#)

	URL	Resource Size	Potential Savings
	images/logo.png (eat24deliveriespwa.myteamconnector.com)	43.3 KiB	37.1 KiB

Defer offscreen images

^

Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. [Learn more.](#)

Minify CSS

^

Minifying CSS files can reduce network payload sizes. [Learn more.](#) FCP LCP

Minify JavaScript — Potential savings of 12 KiB

^

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn more.](#) FCP LCP

URL	Transfer Size	Potential Savings
...js/swiper.js (cdnjs.cloudflare.com)	24.8 KiB	12.0 KiB

Reduce unused CSS — Potential savings of 65 KiB

^

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn more.](#) FCP LCP

URL	Transfer Size	Potential Savings
-----	---------------	-------------------


URL	Transfer Size	Potential Savings
/styles.4056d91....css (eat24deliveriespwa.myteamconnector.com)	65.4 KiB	64.6 KiB

Efficiently encode images

Optimized images load faster and consume less cellular data. [Learn more.](#)

Serve images in next-gen formats — Potential savings of 36 KiB

Image formats like WebP and AVIF often provide better compression than PNG or JPEG, which means faster downloads and less data consumption. [Learn more.](#)

URL	Resource Size	Potential Savings
 images/logo.png (eat24deliveriespwa.myteamconnector.com)	43.3 KiB	35.7 KiB

Enable text compression

Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network bytes. [Learn more.](#) FCP LCP

Preconnect to required origins

Consider adding `preconnect` or `dns-prefetch` resource hints to establish early connections to important third-party origins. [Learn more.](#) FCP LCP

Initial server response time was short — Root document took 10 ms

Keep the server response time for the main document short because all other requests depend on it. [Learn more.](#) FCP LCP

URL	Time Spent
/login (eat24deliveriespwa.myteamconnector.com)	10 ms

Avoid multiple page redirects



Redirects introduce additional delays before the page can be loaded. [Learn more.](#) FCP LCP

○ Preload key requests



Consider using `<link rel=preload>` to prioritize fetching resources that are currently requested later in page load. [Learn more.](#) FCP LCP

Use HTTP/2



HTTP/2 offers many benefits over HTTP/1.1, including binary headers and multiplexing. [Learn more.](#)

Use video formats for animated content



Large GIFs are inefficient for delivering animated content. Consider using MPEG4/WebM videos for animations and PNG/WebP for static images instead of GIF to save network bytes. [Learn more](#) LCP

Remove duplicate modules in JavaScript bundles



Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity. TBT

Avoid serving legacy JavaScript to modern browsers — Potential savings of 9 KiB



Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. For your bundled JavaScript, adopt a modern script deployment strategy using module/nomodule feature detection to reduce the amount of code shipped to modern browsers, while retaining support for legacy browsers. [Learn More](#) TBT



☐ Show 3rd-party resources (1)

URL	Potential Savings
/main-es2015.da07da4....js (eat24deliveriespwa.myteamconnector.com)	0.2 KiB
main-es2015.da07da4....js:1	@babel/plugin-transform-classes
/scripts.ff44f85....js (eat24deliveriespwa.myteamconnector.com)	0.0 KiB
scripts.ff44f85....js:1	@babel/plugin-transform-classes

Preload Largest Contentful Paint image



Preload the image used by the LCP element in order to improve your LCP time. [Learn more.](#) LCP

URL		Potential Savings
	 ...images/logo.png (eat24deliveriespwa.myteamconnector.com)	0 ms

Avoids enormous network payloads — Total size was 1,354 KiB



Large network payloads cost users real money and are highly correlated with long load times. [Learn more.](#) LCP

☒ Show 3rd-party resources (5)

URL	Transfer Size
/main-es2015.da07da4....js (eat24deliveriespwa.myteamconnector.com)	744.0 KiB
...6.2.3/firebase.js (www.gstatic.com)	222.1 KiB
/scripts.ff44f85....js (eat24deliveriespwa.myteamconnector.com)	94.8 KiB
/styles.4056d91....css (eat24deliveriespwa.myteamconnector.com)	65.4 KiB
...api/js?key=... (maps.googleapis.com)	55.0 KiB
...images/logo.png (eat24deliveriespwa.myteamconnector.com)	43.4 KiB
...v24/BngMUXZYT....woff2 (fonts.gstatic.com)	32.1 KiB
...3.6.0/jquery.min.js (ajax.googleapis.com)	30.4 KiB
...js/swiper.js (cdnjs.cloudflare.com)	24.8 KiB
/polyfills-es2015.8a24605....js (eat24deliveriespwa.myteamconnector.com)	12.2 KiB

Avoids an excessive DOM size — 42 elements



A large DOM will increase memory usage, cause longer [style calculations](#), and produce costly [layout reflows](#). [Learn more.](#)

TBT

Statistic	Element	Value
Total DOM Elements		42
Maximum DOM Depth	input#defaultCheck2.ng-untouched.ng-pristine.ng-valid	13
Maximum Child Elements	<div>body</div>	10

JavaScript execution time — 0.3 s ^

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn more](#). TBT

☒ Show 3rd-party resources (1)

URL	Total CPU Time	Script Evaluation	Script Parse
Unattributable	157 ms	12 ms	0 ms
/main-es2015.da07da4....js (eat24deliveriespwa.myteamconnector.com)	154 ms	128 ms	2 ms
/login (eat24deliveriespwa.myteamconnector.com)	113 ms	6 ms	1 ms
/scripts.ff44f85....js (eat24deliveriespwa.myteamconnector.com)	96 ms	76 ms	7 ms
...6.2.3/firebase.js (www.gstatic.com)	68 ms	38 ms	16 ms

Minimizes main-thread work — 0.6 s ^

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn more](#) TBT

Category	Time Spent
Script Evaluation	293 ms
Other	227 ms
Style & Layout	43 ms

Category	Time Spent
Parse HTML & CSS	38 ms
Script Parsing & Compilation	36 ms
Rendering	7 ms
Garbage Collection	6 ms

All text remains visible during webfont loads



Leverage the font-display CSS feature to ensure text is user-visible while webfonts are loading. [Learn more.](#) FCP LCP

Minimize third-party usage — Third-party code blocked the main thread for 0 ms



Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. [Learn more.](#) TBT

Third-Party	Transfer Size	Main-Thread Blocking Time
Google CDN	253 KiB	0 ms
...6.2.3/firebase.js (www.gstatic.com)	222 KiB	0 ms
...3.6.0/jquery.min.js (ajax.googleapis.com)	30 KiB	0 ms
Google Maps	55 KiB	0 ms
...api/js?key=... (maps.googleapis.com)	55 KiB	0 ms
Google Fonts	35 KiB	0 ms
...v24/BngMUXZYT....woff2 (fonts.gstatic.com)	32 KiB	0 ms
Cloudflare CDN	27 KiB	0 ms
...js/swiper.js (cdnjs.cloudflare.com)	25 KiB	0 ms

☐ Lazy load third-party resources with facades



Some third-party embeds can be lazy loaded. Consider replacing them with a facade until they are required. [Learn more.](#) TBT

Largest Contentful Paint image was not lazily loaded



Above-the-fold images that are lazily loaded render later in the page lifecycle, which can delay the largest contentful paint. [Learn more.](#)

Element



img

Uses passive listeners to improve scrolling performance



Consider marking your touch and wheel event listeners as `passive` to improve your page's scroll performance. [Learn more](#).

Avoids `document.write()`



For users on slow connections, external scripts dynamically injected via `document.write()` can delay page load by tens of seconds. [Learn more](#).

☐ Avoid non-composited animations



Animations which are not composited can be janky and increase CLS. [Learn more](#) CLS

Has a `<meta name="viewport">` tag with `width` or `initial-scale`



A ``<meta name="viewport">`` not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more](#). TBT

Avoids `unload` event listeners



The `unload` event does not fire reliably and listening for it can prevent browser optimizations like the Back-Forward Cache. Use `pagehide` or `visibilitychange` events instead. [Learn more](#)



Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Only a subset of accessibility issues can be automatically detected so manual testing is also encouraged.

NAMES AND LABELS

▲ Image elements do not have `[alt]` attributes



Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more.](#)

Failing Elements



These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

BEST PRACTICES

▲ `[user-scalable="no"]` is used in the `<meta name="viewport">` element or the `[maximum-scale]` attribute is less than 5.



Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. [Learn more.](#)

Failing Elements

meta

These items highlight common accessibility best practices.

CONTRAST

▲ Background and foreground colors do not have a sufficient contrast ratio.



Low-contrast text is difficult or impossible for many users to read. [Learn more.](#)

Failing Elements

a.orange-btn

These are opportunities to improve the legibility of your content.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

<input type="radio"/> The page has a logical tab order	^
Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. Learn more.	
<input type="radio"/> Interactive controls are keyboard focusable	^
Custom interactive controls are keyboard focusable and display a focus indicator. Learn more.	
<input type="radio"/> Interactive elements indicate their purpose and state	^
Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. Learn more.	
<input type="radio"/> The user's focus is directed to new content added to the page	^
If new content, such as a dialog, is added to the page, the user's focus is directed to it. Learn more.	
<input type="radio"/> User focus is not accidentally trapped in a region	^
A user can tab into and out of any control or region without accidentally trapping their focus. Learn more.	
<input type="radio"/> Custom controls have associated labels	^
Custom interactive controls have associated labels, provided by aria-label or aria-labelledby. Learn more.	
<input type="radio"/> Custom controls have ARIA roles	^
Custom interactive controls have appropriate ARIA roles. Learn more.	
<input type="radio"/> Visual order on the page follows DOM order	^
DOM order matches the visual order, improving navigation for assistive technology. Learn more.	
<input type="radio"/> Offscreen content is hidden from assistive technology	^
Offscreen content is hidden with display: none or aria-hidden=true. Learn more.	
<input type="radio"/> HTML5 landmark elements are used to improve navigation	^
Landmark elements (<main>, <nav>, etc.) are used to improve the keyboard navigation of the page for assistive technology. Learn more.	

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

PASSED AUDITS (7)

Hide

<div>[aria-hidden="true"] is not present on the document <body></div> <div>Assistive technologies, like screen readers, work inconsistently when `aria-hidden="true"` is set on the document `<body>`. Learn more.</div>
<div>ARIA IDs are unique</div> <div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn more.</div>
<div>The page contains a heading, skip link, or landmark region</div> <div>Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. Learn more.</div>
<div>Document has a <title> element</div> <div>The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. Learn more.</div>
<div><html> element has a [lang] attribute</div> <div>If a page doesn't specify a lang attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. Learn more.</div>
<div><html> element has a valid value for its [lang] attribute</div> <div>Specifying a valid BCP 47 language helps screen readers announce text properly. Learn more.</div>
<div>Links have a discernible name</div> <div>Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. Learn more.</div>

NOT APPLICABLE (34)

Hide

<div><div><input type="radio"/></div><div>[accesskey] values are unique</div></div> <div>Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. Learn more.</div>

☐ [aria-*] attributes match their roles ^

Each ARIA `role` supports a specific subset of `aria-*` attributes. Mismatching these invalidates the `aria-*` attributes. [Learn more](#).

☐ `button`, `link`, and `menuitem` elements have accessible names ^

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more](#).

☐ [aria-hidden="true"] elements do not contain focusable descendents ^

Focusable descendents within an [aria-hidden="true"] element prevent those interactive elements from being available to users of assistive technologies like screen readers. [Learn more](#).

☐ ARIA input fields have accessible names ^

When an input field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more](#).

☐ ARIA `meter` elements have accessible names ^

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more](#).

☐ ARIA `progressbar` elements have accessible names ^

When a `progressbar` element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more](#).

☐ [role]s have all required [aria-*] attributes ^

Some ARIA roles have required attributes that describe the state of the element to screen readers. [Learn more](#).

☐ Elements with an ARIA [role] that require children to contain a specific [role] have all required children. ^

Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. [Learn more](#).

☐ [role]s are contained by their required parent element ^

Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. [Learn more](#).

☐ [role] values are valid ^

ARIA roles must have valid values in order to perform their intended accessibility functions. Learn more.	
<input type="radio"/> ARIA toggle fields have accessible names	^
When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more.	
<input type="radio"/> ARIA tooltip elements have accessible names	^
When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more.	
<input type="radio"/> ARIA treeitem elements have accessible names	^
When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more.	
<input type="radio"/> [aria- <i>*</i>] attributes have valid values	^
Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. Learn more.	
<input type="radio"/> [aria- <i>*</i>] attributes are valid and not misspelled	^
Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. Learn more.	
<input type="radio"/> Buttons have an accessible name	^
When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. Learn more.	
<input type="radio"/> <dl>'s contain only properly-ordered <dt> and <dd> groups, <script>, <template> or <div> elements.	^
When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn more.	
<input type="radio"/> Definition list items are wrapped in <dl> elements	^
Definition list items (`<dt>` and ` <dd>`) <a="" `<dl>`="" a="" announce="" be="" can="" element="" ensure="" href="#" in="" must="" parent="" properly="" readers="" screen="" that="" them.="" to="" wrapped="">Learn more.</dd>`)>	
<input type="radio"/> [id] attributes on active, focusable elements are unique	^
All focusable elements must have a unique `id` to ensure that they're visible to assistive technologies. Learn more.	
<input type="radio"/> No form fields have multiple labels	^

Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. [Learn more](#).

☐ `<frame>` or `<iframe>` elements have a title



Screen reader users rely on frame titles to describe the contents of frames. [Learn more](#).

☐ Heading elements appear in a sequentially-descending order



Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more](#).

☐ `<input type="image">` elements have `[alt]` text



When an image is being used as an `<input>` button, providing alternative text can help screen reader users understand the purpose of the button. [Learn more](#).

☐ Form elements have associated labels



Labels ensure that form controls are announced properly by assistive technologies, like screen readers. [Learn more](#).

☐ Lists contain only `` elements and script supporting elements (`<script>` and `<template>`).



Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. [Learn more](#).

☐ List items (``) are contained within `` or `` parent elements



Screen readers require list items (``) to be contained within a parent `` or `` to be announced properly. [Learn more](#).

☐ The document does not use `<meta http-equiv="refresh">`



Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. [Learn more](#).

☐ `<object>` elements have alternate text



Screen readers cannot translate non-text content. Adding alternate text to `<object>` elements helps screen readers convey meaning to users. [Learn more](#).

☐ No element has a `[tabindex]` value greater than 0



A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. [Learn more.](#)

Cells in a `<table>` element that use the `[headers]` attribute refer to table cells within the same table.

^

Screen readers have features to make navigating tables easier. Ensuring `<td>` cells using the `[headers]` attribute only refer to other cells in the same table may improve the experience for screen reader users. [Learn more.](#)

`<th>` elements and elements with `[role="columnheader"/"rowheader"]` have data cells they describe.

^

Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells may improve the experience for screen reader users. [Learn more.](#)

`[lang]` attributes have a valid value

^

Specifying a valid [BCP 47 language](#) on elements helps ensure that text is pronounced correctly by a screen reader. [Learn more.](#)

`<video>` elements contain a `<track>` element with `[kind="captions"]`

^

When a video provides a caption it is easier for deaf and hearing impaired users to access its information. [Learn more.](#)



Best Practices

TRUST AND SAFETY

Includes front-end JavaScript libraries with known security vulnerabilities — 3 vulnerabilities detected

^

Some third-party scripts may contain known security vulnerabilities that are easily identified and exploited by attackers. [Learn more.](#)

Library Version	Vulnerability Count	Highest Severity
jQuery@3.4.1	2	Medium
Angular@9.1.12	1	Low


Ensure CSP is effective against XSS attacks

^

A strong Content Security Policy (CSP) significantly reduces the risk of cross-site scripting (XSS) attacks. [Learn more](#)


Description	Directive	Severity
No CSP found in enforcement mode		High

GENERAL

 Uses deprecated APIs — 1 warning found


Deprecated APIs will eventually be removed from the browser. [Learn more](#).

Deprecation / Warning	Source
...	login:0

 Detected JavaScript libraries

All front-end JavaScript libraries detected on the page. [Learn more](#).

Name	Version
Google Maps	3.50.4
jQuery	3.4.1
Angular	9.1.12
Hammer.js	2.0.4
core-js	core-js-global@3.0.1

 Missing source maps for large first-party JavaScript

Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. [Learn more](#).

☒ Show 3rd-party resources (2)

URL	Map URL
-----	---------

URL	Map URL
<code>/main-es2015.da07da4....js</code> (eat24deliveriespwa.myteamconnector.com)	
Large JavaScript file is missing a source map	
<code>...js/swiper.js</code> (cdnjs.cloudflare.com)	<code>...maps/swiper.js.map</code> (cdnjs.cloudflare.com)
Error: Failed fetching source map (404)	
<code>...6.2.3/firebase.js</code> (www.gstatic.com)	<code>...6.2.3/firebase.js.map</code> (www.gstatic.com)

PASSED AUDITS (10)

Hide

Uses HTTPS	^
All sites should be protected with HTTPS, even ones that don't handle sensitive data. This includes avoiding mixed content , where some resources are loaded over HTTP despite the initial request being served over HTTPS. HTTPS prevents intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. Learn more .	
Avoids requesting the geolocation permission on page load	^
Users are mistrustful of or confused by sites that request their location without context. Consider tying the request to a user action instead. Learn more .	
Avoids requesting the notification permission on page load	^
Users are mistrustful of or confused by sites that request to send notifications without context. Consider tying the request to user gestures instead. Learn more .	
Allows users to paste into password fields	^
Preventing password pasting undermines good security policy. Learn more .	
Displays images with correct aspect ratio	^
Image display dimensions should match natural aspect ratio. Learn more .	
Serves images with appropriate resolution	^
Image natural dimensions should be proportional to the display size and the pixel ratio to maximize image clarity. Learn more .	
Page has the HTML doctype	^

Specifying a doctype prevents the browser from switching to quirks-mode. Learn more .
Properly defines charset ^
A character encoding declaration is required. It can be done with a ` <meta/> ` tag in the first 1024 bytes of the HTML or in the Content-Type HTTP response header. Learn more .
No browser errors logged to the console ^
Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. Learn more
No issues in the Issues panel in Chrome Devtools ^
Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

NOT APPLICABLE (1)

Hide

<input type="radio"/> Fonts with <code>font-display: optional</code> are preloaded ^
Preload `optional` fonts so first-time visitors may use them. Learn more



SEO


These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on [Core Web Vitals](#). [Learn more](#).

CONTENT BEST PRACTICES

▲ Document does not have a meta description ^
Meta descriptions may be included in search results to concisely summarize page content. Learn more .
▲ Image elements do not have <code>[alt]</code> attributes ^

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more](#).

Failing Elements



img

Format your HTML in a way that enables crawlers to better understand your app's content.

CRAWLING AND INDEXING

▲ Links are not crawlable

^

Search engines may use `href` attributes on links to crawl websites. Ensure that the `href` attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn More](#)

Uncrawlable Link

a.orange-btn

a.closelcon

▲ robots.txt is not valid — 152 errors found

^

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more](#).

Line #	Content	Error
1	<!doctype html>	Syntax not understood
2	<html lang="en">	Syntax not understood
3	<head>	Syntax not understood
5	<meta charset="utf-8">	Syntax not understood

Line #	Content	Error
6	<title>Eat24 Deliveries</title>	Syntax not understood
7	<!--Import Google Icon Font-->	Syntax not understood
8	<link href="https://fonts.googleapis.com/icon?family=Material+Icons" rel="stylesheet">	Unknown directive
9	<link href="https://fonts.googleapis.com/css?family=Poppins:300,400,500,600,700,800,900&display=swap" rel="stylesheet">	Unknown directive
10	<link href="https://fonts.googleapis.com/css?family=Roboto:300,400,500&display=swap" rel="stylesheet">	Unknown directive
11	<!-- <base href="/EAT24DeliveriesPWA/" -->	Syntax not understood
12	<base href="/"> <!-- <meta name="viewport" content="width=device-width, initial-scale=1"> -->	Syntax not understood
13	<!-- <meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0, user-scalable=no"> -->	Syntax not understood
14	<meta name="viewport" content="width=device-width, initial-scale=1, minimum-scale=1, maximum-scale=1">	Syntax not understood
15	<link rel="icon" type="image/x-icon" href="/favicon.ico">	Syntax not understood
16	<link rel="manifest" href="/manifest.webmanifest">	Syntax not understood
18	<meta name="theme-color" content="#1976d2">	Syntax not understood
19	<link rel="apple-touch-icon" href="/assets/icons/icon-192x192.png" />	Syntax not understood
20	<link rel="apple-touch-icon" sizes="192x192" href="/assets/icons/icon-192x192.png" />	Syntax not understood
21	<link rel="apple-touch-icon" sizes="114x114" href="/assets/icons/icon-144x144.png" />	Syntax not understood

Line #	Content	Error
22	<link rel="apple-touch-icon" sizes="144x144" href="./assets/icons/icon-144x144.png" />	Syntax not understood
23	<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.0/jquery.min.js"> </script>	Unknown directive
24	<!-- <script src="https://maps.googleapis.com/maps/api/js?key=AIzaSyAL9Dbb5qqyz38k1vubXkLHSAAd-n38aqZ0"></script> -->	Unknown directive
25	<script src="https://maps.googleapis.com/maps/api/js?key=AIzaSyCSdSP_RQhPUIqySZjGHkLATDkVLaGnUoc&libraries=places&language=en"> </script>	Unknown directive
26	<link href="https://cdnjs.cloudflare.com/ajax/libs/Swiper/3.3.1/css/swiper.min.css" rel="stylesheet">	Unknown directive
27	<script src="https://cdnjs.cloudflare.com/ajax/libs/Swiper/3.3.1/js/swiper.js"> </script>	Unknown directive
28	<link rel="manifest" href="./manifest.json" />	Syntax not understood
29	<script src="https://www.gstatic.com/firebasejs/6.2.3/firebase.js"></script>	Unknown directive
32	<script>	Syntax not understood
33	var UserPushTokenGeneratedTime= window.localStorage.getItem("UserPushTokenGeneratedTime");	Syntax not understood
34	if(UserPushTokenGeneratedTime==null){	Syntax not understood
35	window.localStorage.removeItem("UserPushToken");	Syntax not understood
36	window.localStorage.setItem("PushTokenGet","0");	Syntax not understood
37	// window.localStorage.setItem("Locationreloaded","0");	Syntax not understood
41	}	Syntax not understood

Line #	Content	Error
42	else{	Syntax not understood
43	var currentdate=new Date();	Syntax not understood
44	console.log("currentdate",currentdate);	Syntax not understood
45	console.log("UserPushTokenGeneratedTime",UserPushTokenGeneratedTime);	Syntax not understood
46	var pushtokendate= Date.parse(UserPushTokenGeneratedTime);	Syntax not understood
47	var datedifference=diff_hours(currentdate,pushtokendate);	Syntax not understood
50	console.log("datedifference - "+datedifference);	Syntax not understood
52	if(parseInt(datedifference)>23){	Syntax not understood
54	window.localStorage.removeItem("UserPushToken");	Syntax not understood
55	window.localStorage.setItem("PushTokenGet","0");	Syntax not understood
56	// window.localStorage.setItem("Locationreloaded","0");	Syntax not understood
57	}	Syntax not understood
59	}	Syntax not understood
61	var pushtoken= window.localStorage.getItem("UserPushToken");	Syntax not understood
62	if(pushtoken==null){	Syntax not understood

Line #	Content	Error
63	<code>navigator.serviceWorker.getRegistrations().then(function(registrations) { for(let registration of registrations) { registration.unregister() } })</code>	Syntax not understood
64	<code>if ('serviceWorker' in navigator) {</code>	Syntax not understood
66	<code>navigator.serviceWorker.register('../assets/firebase-messaging-sw.js');</code>	Syntax not understood
67	<code>}</code>	Syntax not understood
68	<code>}</code>	Syntax not understood
71	<code>function diff_hours(dt2, dt1)</code>	Syntax not understood
72	<code>{</code>	Syntax not understood
74	<code>const msInHour = 1000 * 60 * 60;</code>	Syntax not understood
76	<code>return Math.round(Math.abs(dt2 - dt1) / msInHour);</code>	Syntax not understood
78	<code>}</code>	Syntax not understood
79	<code></script></code>	Syntax not understood
81	<code><script ></code>	Syntax not understood
84	<code>setTimeout(function () {</code>	Syntax not understood
86	<code>var messaging;</code>	Syntax not understood
87	<code>// Import the functions you need from the SDKs you need</code>	Syntax not understood

Line #	Content	Error
89	// TODO: Add SDKs for Firebase products that you want to use	Unknown directive
90	// https://firebase.google.com/docs/web/setup#available-libraries	Unknown directive
92	// Your web app's Firebase configuration	Syntax not understood
93	// For Firebase JS SDK v7.20.0 and later, measurementId is optional	Syntax not understood
94	var pushtoken= window.localStorage.getItem("UserPushToken");	Syntax not understood
95	var pushapikey=window.localStorage.getItem("PushApikey");	Syntax not understood
97	if(pushtoken==null){	Syntax not understood
98	const firebaseConfig = {	Syntax not understood
99	apiKey: "AIzaSyCKUF58N6tQQSpKVJMcpp-a7rhle4MSbFs",	Unknown directive
100	authDomain: "eat-24-customer-pwa.firebaseio.com",	Unknown directive
101	projectId: "eat-24-customer-pwa",	Unknown directive
102	storageBucket: "eat-24-customer-pwa.appspot.com",	Unknown directive
103	messagingSenderId: "878917529464",	Unknown directive
104	appId: "1:878917529464:web:c2f1ca0142b5065c8aa28d",	Unknown directive
105	measurementId: "G-QTWJ0FY86T"	Unknown directive

Line #	Content	Error
107	};	Syntax not understood
108	firebase.initializeApp(firebaseConfig);	Syntax not understood
109	messaging = firebase.messaging();	Syntax not understood
110	}	Syntax not understood
111	var pushtoken= window.localStorage.getItem("UserPushToken");	Syntax not understood
112	if(pushtoken==null){	Syntax not understood
113	messaging.requestPermission().then(function () {	Syntax not understood
114	getregistertoken()	Syntax not understood
115	}).catch(function (err) {	Syntax not understood
116	// alert(err)	Syntax not understood
117	})	Syntax not understood
118	}	Syntax not understood
119	function getregistertoken() {	Syntax not understood
120	var pushtoken= window.localStorage.getItem("UserPushToken");	Syntax not understood
121	if(pushtoken==null){	Syntax not understood

Line #	Content	Error
122	<code>messaging.getToken({ vapidKey: 'BHLpNm3Zdu5kp4ygQ20v5mP_xwqq1gBBPwD_mwTxU_sGJI fMijIGoVvadQY9EUUhvYyMOhGeSEfEyMY xC7byo20' }).then((currentToken) => {</code>	Unknown directive
123	<code>if (currentToken) {</code>	Syntax not understood
124	<code>window.localStorage.setItem("UserPushToken", currentToken);</code>	Syntax not understood
125	<code>window.localStorage.setItem("UserPushTokenGeneratedTime", new Date().toString());</code>	Syntax not understood
126	<code>console.log("Push token - "+currentToken);</code>	Syntax not understood
127	<code>let user_id=atob(window.localStorage.getItem("EAT24_User_Id"));</code>	Syntax not understood
128	<code>console.log("push user id "+ user_id);</code>	Syntax not understood
129	<code>} else {</code>	Syntax not understood
130	<code>console.log('No registration token available. Request permission to generate one.');</code>	Syntax not understood
131	<code>// ...</code>	Syntax not understood
132	<code>}</code>	Syntax not understood
133	<code>}).catch((err) => {</code>	Syntax not understood
134	<code>//alert(err)</code>	Syntax not understood
135	<code>// ...</code>	Syntax not understood
136	<code>});</code>	Syntax not understood

Line #	Content	Error
137	}	Syntax not understood
138	}	Syntax not understood
139	var pushtoken= window.localStorage.getItem("UserPushToken");	Syntax not understood
140	if(pushtoken==null){	Syntax not understood
141	messaging.onMessage(function (payload) {	Syntax not understood
143	// var title = payload.notification.title;	Syntax not understood
144	// var options = {	Syntax not understood
145	// body: payload.notification.body	Unknown directive
146	// }	Syntax not understood
147	// var mynotification = new Notification(title, options);	Syntax not understood
149	const notificationTitle = payload.notification.title;	Syntax not understood
150	const notificationOptions = {	Syntax not understood
151	body: payload.notification.body,	Unknown directive
152	icon: payload.notification.icon ,	Unknown directive
153	image: payload.notification.image	Unknown directive

Line #	Content	Error
154	};	Syntax not understood
155	// console.log(notificationTitle,notificationOptions)	Syntax not understood
157	if (!("Notification" in window)) {	Syntax not understood
158	console.log("This browser does not support system notifications.");	Syntax not understood
159	} else if (Notification.permission === "granted") {	Syntax not understood
160	// If it's okay let's create a notification	Syntax not understood
161	var notification = new Notification(notificationTitle,notificationOptions);	Syntax not understood
162	notification.onclick = function(event) {	Syntax not understood
163	event.preventDefault();	Syntax not understood
164	window.open(payload.notification.click_action , '_blank');	Syntax not understood
165	notification.close();	Syntax not understood
166	}	Syntax not understood
167	}	Syntax not understood
168	});	Syntax not understood
171	}	Syntax not understood

Line #	Content	Error
173	},1000);	Syntax not understood
177	</script>	Syntax not understood
179	<link rel="stylesheet" href="styles.4056d91fffb6f1306412f.css"></head>	Syntax not understood
180	<body>	Syntax not understood
181	<app-root>	Syntax not understood
182	<div style="display: flex;align-items: center;justify-content: center;align-content: center;min-height: 100vh;text-align: center;flex-flow: column;">	Unknown directive
183	<div>	Syntax not understood
184	</div>	Syntax not understood
185	<h4>Welcome to EAT24 APP</h4>	Syntax not understood
186	</div></app-root>	Syntax not understood
187	<noscript>Please enable JavaScript to continue using this application.</noscript>	Syntax not understood
188	<script src="runtime-es2015.1bb658353da3edcd40f3.js" type="module"></script> <script src="runtime-es5.1bb658353da3edcd40f3.js" nomodule defer></script> <script src="polyfills-es5.d1b96746799962d07c0b.js" nomodule defer></script> <script src="polyfills-es2015.8a24605b2ac32ed346b4.js" type="module"></script> <script src="scripts.ff44f85101d0d2f990e3.js" defer></script><script src="main-es2015.da07da491de0d740ec6b.js" type="module"></script><script src="main-es5.da07da491de0d740ec6b.js" nomodule defer></script></body>	Syntax not understood
189	</html>	Syntax not understood

To appear in search results, crawlers need access to your app.

ADDITIONAL ITEMS TO MANUALLY CHECK (1)

Hide

Structured data is valid

^

Run the [Structured Data Testing Tool](#) and the [Structured Data Linter](#) to validate structured data. [Learn more.](#)

Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (7)

Hide

Has a `<meta name="viewport">` tag with `width` or `initial-scale`

^

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more.](#) TBT

Document has a `<title>` element

^

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more.](#)

Page has successful HTTP status code

^

Pages with unsuccessful HTTP status codes may not be indexed properly. [Learn more.](#)

Links have descriptive text

^

Descriptive link text helps search engines understand your content. [Learn more.](#)

Page isn't blocked from indexing

^

Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more.](#)

Document has a valid `hreflang`

^

`hreflang` links tell search engines what version of a page they should list in search results for a given language or region. [Learn more.](#)

Document avoids plugins

^

Search engines can't index plugin content, and many devices restrict plugins or don't support them. [Learn more.](#)

NOT APPLICABLE (3)

Hide

Document has a valid `rel=canonical`

^

Canonical links suggest which URL to show in search results. [Learn more.](#)

☐ Document uses legible font sizes

Font sizes less than 12px are too small to be legible and require mobile visitors to “pinch to zoom” in order to read. Strive to have >60% of page text $\geq 12\text{px}$. [Learn more.](#)

☐ Tap targets are sized appropriately

Interactive elements like buttons and links should be large enough (48x48px), and have enough space around them, to be easy enough to tap without overlapping onto other elements. [Learn more.](#)



PWA

These checks validate the aspects of a Progressive Web App. [Learn more.](#)

INSTALLABLE

Web app manifest and service worker meet the installability requirements

Service worker is the technology that enables your app to use many Progressive Web App features, such as offline, add to homescreen, and push notifications. With proper service worker and manifest implementations, browsers can proactively prompt users to add your app to their homescreen, which can lead to higher engagement. [Learn more.](#)

PWA OPTIMIZED

Registers a service worker that controls page and `start_url`

The service worker is the technology that enables your app to use many Progressive Web App features, such as offline, add to homescreen, and push notifications. [Learn more.](#)

Configured for a custom splash screen

A themed splash screen ensures a high-quality experience when users launch your app from their homescreens. [Learn more.](#)

Sets a theme color for the address bar.

The browser address bar can be themed to match your site. [Learn more](#).

Content is sized correctly for the viewport

^

If the width of your app's content doesn't match the width of the viewport, your app might not be optimized for mobile screens. [Learn more](#).

Has a `<meta name="viewport">` tag with `width` or `initial-scale`

^

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more](#). TBT

Provides a valid `apple-touch-icon`

^

For ideal appearance on iOS when users add a progressive web app to the home screen, define an `apple-touch-icon`. It must point to a non-transparent 192px (or 180px) square PNG. [Learn More](#).

Manifest has a maskable icon

^

A maskable icon ensures that the image fills the entire shape without being letterboxed when installing the app on a device. [Learn more](#).

ADDITIONAL ITEMS TO MANUALLY CHECK (3)

Hide

Site works cross-browser

^

To reach the most number of users, sites should work across every major browser. [Learn more](#).

Page transitions don't feel like they block on the network

^

Transitions should feel snappy as you tap around, even on a slow network. This experience is key to a user's perception of performance. [Learn more](#).

Each page has a URL

^

Ensure individual pages are deep linkable via URL and that URLs are unique for the purpose of shareability on social media. [Learn more](#).

These checks are required by the baseline [PWA Checklist](#) but are not automatically checked by Lighthouse. They do not affect your score but it's important that you verify them manually.

about:blank

Captured at Sep 9, 2022, 3:32 PM GMT+5:30

Emulated Desktop with Lighthouse 9.6.2

Single page load

38/39

Generated by **Lighthouse** 9.6.2 | [File an issue](#)